[BLANK SPACE ABOVE THIS LINE IS FOR THE SOLE USE OF THE CLERK OF SUPERIOR COURT

THIS DOCUMENT MUST ONLY BE RECORDED BY PERSONNEL OF THE FULTON COUNTY LAND DIVISION

Return Recorded Document to: Fulton County Land Division 141 Pryor Street, S.W. – Suite 8021 Atlanta, Georgia 30303 Project Name: Morning Creek Forest Phase III
Tax Parcel Identification No.:
Land Disturbance Permit No.:
Zoning/Special Use Permit No.:
(if applicable)

For Fulton County Use Only

Approval Date: 5/16/2024
Initials: 5/16/2024

SEWER EASEMENT (Corporate Form)

STATE OF GEORGIA, COUNTY OF FULTON

	into this16	day of	April		, 20_24	_, between
Morning Cre	ek Partners, LLC			, a corporation d	uly organized	under the
laws of the State of	Georgia	, 1	party of the fir	st part (hereinafter ref	ferred to as G	rantor) and
FULTON COUNTY, a	Political Subdivision of	the State of Geo	orgia, party of th	ne second part and Gra	intee.	
WITNESSETH, that for	and in consideration of	\$1.00 in hand pa	aid, at and before	re the sealing and deliv	very of these p	resents, the
receipt whereof is herel	by acknowledged and in	consideration of	of the benefits	which will accrue to t	the undersigne	ed from the
construction of a sewer	line through subject pr	operty, and in o	consideration o	f the benefits which v	vill accrue to	the subject
property from the cons	struction of a sewer lin	e through subj	ect property, s	aid Grantor has gran	ted, bargained	d, sold and
conveyed and by these J	oresents does grant, barg	ain, sell and con	vey to FULTO	ON COUNTY and to s	uccessors and	assigns the
right, title, and privile	ege of easements throu	igh subject pro	perty located	in Land Lot(s) 1	128	,
N/A Section	(if applicable) of Distric	t 13	, Fulton Coun	ty, Georgia, and more	particularly d	escribed as
follows: To wit:	,		_			
	Marajaa	Crook Farant	Dhaca Thr			
	iviorning	Creek Forest	- Phase Inr	ee		
		Project	Name			

[See Exhibit "A" attached hereto and made a part hereof]

This right and easement herein granted being to occupy such portion of my property as would be sufficient for the construction, access, maintenance and upgrade of a sewer line through my property according to the location and size of said sewer line as shown on the map and profile now on file in the office of the Public Works Department of Fulton County, and which size and location may be modified from time to time including in the future after the date of this document to accommodate said sewer line within the aforesaid boundaries of the above-described easement.

For the same consideration, Grantor hereby conveys and relinquishes to FULTON COUNTY a right of access over Grantor's remaining lands as necessary for FULTON COUNTY to perform maintenance and repairs on said sewer line on both a routine and emergency basis.

Said Grantor hereby warrants that it has the right to sell and convey said sewer line easement and right of access and binds itself, its successors and assigns forever to warrant and defend the right and title to the above described sewer line easement unto the said FULTON COUNTY, its successors and assigns against the claims of all persons whomever by virtue of these presents.

Said Grantor hereby waives for itself, its successors and assigns all rights to any further compensation or claim to damages on account of the construction, access, upgrade or maintenance of said sewer line for the use of the property as herein agreed.

IN WITNESS HEREOF said party of the first part has hereunto affixed his/her hand and seal on the day and year first above written.

Signed, sealed and delivered this day of April 20 24 in the presence of:	GRANTOR:	CORPORATE NAME
Sans M. Dyler Witness	By: Print Name:	Doda W Co Her Pe
	Title:	MgR
Notary Publicative G LECTION	By:	
STRICT TY G LECTRONIA	Print Name:	
EXPIRES	Title:	
[NOTARIAL SEAFORGIA 26th day of February, 2027]		[CORPORATE SEAL]
THE COMMENT		

THE COUNTY

LEGAL DESCRIPTION – Sanitary Sewer Easement

ALL THAT TRACT or parcel of land lying and being in Land Lot 128, 13th District, City of South Fulton, Fulton County, Georgia and being more particularly described as follows:

Commencing from the intersection of the Northern Right-of-Way of Buffington Road (Right-of-Way Varies) and the Eastern Right-of-Way of Ripple Way (Private 50' Right-of-Way);

Thence leaving said intersection and following said Western Right-of-Way of Ripple Way, South 25 degrees 31 minutes 57 seconds West, a distance of 26.04 feet to a point;

Thence continuing along said Right-of-Way, South 17 degrees 02 minutes 48 seconds East, a distance of 133.72 feet to a point;

Thence continuing along said Right-of-Way, along an arc of a curve to the left, an arc length of 62.38 feet, having a radius of 197.00 feet, being subtended by chord bearing of South 26 degrees 07 minutes 07 seconds East, a chord distance of 62.12 feet to a point;

Thence South 54 degrees 48 minutes 35 seconds West, a distance of 50.00 feet to a point;

Thence along an arc of a curve to the left, an arc length of 84.69 feet, having a radius of 256.20 feet, being subtended by chord bearing of South 45 degrees 03 minutes 28 seconds East, a chord distance of 84.30 feet to a point;

Thence South 54 degrees 33 minutes 09 seconds East, a distance of 121.72 feet to a point;

Thence along an arc of a curve to the left, an arc length of 117.97 feet, having a radius of 175.00 feet, being subtended by a chord bearing of South 35 degrees 29 minutes 09 seconds East, a chord distance of 115.75 feet to a point;

Thence South 16 degrees 08 minutes 58 seconds East, a distance of 197.32 feet to a point;

Thence along an arc of a curve to the right, an arc length of 18.84 feet, with a radius of 12.50 feet, being subtended by a chord bearing of South 30 degrees 41 minutes 24 seconds West, a chord distance of 17.11 feet to a point;

Thence South 73 degrees 51 minutes 49 seconds West, a distance of 59.03 feet to a point;

Thence along an arc of a curve to the left, an arc length of 152.66 feet, with a radius of 225.00 feet, being subtended by a chord bearing of South 54 degrees 25 minutes 34 seconds West, a chord distance of 149.75 feet to a point;

Thence South 34 degrees 58 minutes 20 seconds West, a distance of 44.93 feet to a point;

Thence along an arc of a curve to the left, an arc length of 27.85 feet, with a radius of 125.00 feet, being subtended by a chord bearing of South 28 degrees 35 minutes 32 seconds West, a chord distance of 27.91 feet to a point, said point being the **POINT OF BEGINNING**;

Thence along an arc of a curve to the left, an arc length of 20.13 feet, with a radius of 125.00 feet, being subtended by a chord bearing of South 17 degrees 34 minutes 56 seconds West, a chord distance of 20.11 feet to a point;

Thence North 78 degrees 23 minutes 12 seconds West, a distance of 95.87 feet to a point;

Thence North 53 degrees 33 minutes 48 seconds West, a distance of 101.02 feet to a point;
Thence South 81 degrees 55 minutes 00 seconds West, a distance of 133.48 feet to a point;
Thence North 67 degrees 04 minutes 50 seconds West, a distance of 144.34 feet to a point;
Thence North 35 degrees 13 minutes 59 seconds West, a distance of 99.71 feet to a point;
Thence North 73 degrees 12 minutes 59 seconds East, a distance of 21.08 feet to a point;
Thence South 35 degrees 13 minutes 59 seconds East, a distance of 87.34 feet to a point;
Thence South 67 degrees 04 minutes 50 seconds East, a distance of 133.09 feet to a point;
Thence North 81 degrees 55 minutes 00 seconds East, a distance of 136.12 feet to a point;
Thence South 53 degrees 33 minutes 48 seconds East, a distance of 104.81 feet to a point;
Thence South 78 degrees 23 minutes 12 seconds East, a distance of 93.56 feet to a point, said point being the **POINT OF BEGINNING.**

The herein described area of land contains 11,283 Square Feet or 0.26 Acres.

ENGINEER/SURVEYOR: SOUTHEASTERN ENGINEERING, INC (SEI) 2470 SANDY PLAINS ROAD MARIETTA, GEORGIA 30066 (770) 321-3936 **CONTACT: WAYNE POWERS**

FINAL PLAT PREPARED FOR

MORNING CREEK FOREST - PHASE 3

CITY OF SOUTH FULTON, FULTON COUNTY, LL: 128 of the 13th DISTRICT

TAX PARCEL ID: 13-0128-LL0274 FULTON COUNTY PROJ. NO: 22S-001WR

ZONING CASE: Z83-215

COVENANTS AND RESTRICTIONS FOR MORNING CREEK FOREST ARE RECORDED IN DEED BOOK 60839, PAGE 354, FULTON COUNTY RECORDS. AMENDMENT RECORDED IN DEED BOOK 63374, PAGE 388, FULTON COUNTY RECORDS

MAINTENANCE AGREEMENTS FOR MORNING CREEK FOREST ARE RECORDED IN DEED BOOK 67651, PAGE 54-56, FULTON COUNTY RECORDS

GEOGRAPHICAL AND VERTICAL INFORMATION WERE OBTAINED VIA GPS OBSERVATIONS UTILIZING TRIMBLE (AN INTERNET BASED RTN NETWORK) THAT REPORTS NAD83(2001) NAVD88 DATUM AND GEOID18 MODEL

ISITE NOTES:

- PROPOSED 17.24± ACRE DEVELOPMENT, ZONED TR CONDITIONAL. PROPOSED TOWN HOME LOTS FOR
- EACH DWELLING UNIT TO RECEIVE 2 PARKING SPACES
- $\frac{1}{3}$ =1300 +; $\frac{1}{3}$ 1,200 ~ 1,300; $\frac{1}{3}$ 1,200 ~ 1,100 SF. THERE SHALL BE A 20' STORM D.E. FOR ALL PIPES, DITCHES, & SWALES. MAXIMUM GRADES: COLLECTOR STREETS TO BE AT 8%
- MINOR STREET TO BE BETWEEN 12%-15%. PUBLIC WATER PROVIDED BY CITY OF ATLANTA

THIS BLOCK RESERVED FOR SUPERIOR COURT CLERK

- PUBLIC SEWER PROVIDED BY FULTON COUNTY.
- ALL WATER LINES UPON ACCEPTANCE SHALL BECOME THE PROPERTY OF CITY OF ATLANTA. ALL CONSTRUCTION TO CONFORM TO APPLICABLE FULTON COUNTY WATER SYSTEMS SPECS, AND IN
- ACCORDANCE WITH FULTON COUNTY ORDINANCES/CITY OF ATLANTA WATER. NO COVENANTS OR RESTRICTIONS OUTSIDE OF ZONING CONDITIONS EXIST AT THIS TIME. STREAM BUFFERS ARE MEASURED FROM THE TOP OF BANKS

CURRENT ZONING:

TOWNHOUSE RESIDENTIAL *THE SURVEYOR IN NO WAY INTENDS TO CERTIFY, INTERPRET OR MAKE CONCLUSIONS

REGARDING THE ZONING DESIGNATION SHOWN.

INFORMATION WAS TAKEN FROM ON AND SETBACK REQUIREMENTS SHOWN MAY DIFFER FROM ACTUAL ZONING OR VARIANCES. *(SEE PAGE 2 FOR DETAILED ZONING NOTES)

http://www.fultoncountvga.gov

CITY OF SOUTH FULTON NOTES:

THE DIRECTOR OF THE OF THE COMMUNITY AND REGULATORY AFFAIRS DEPARTMENT OF THE CITY OF SOUTH FULTON, GEORGIA, CERTIFIES THAT THIS PLAT COMPLIES WITH THE CITY OF SOUTH FULTON ZONING RESOLUTION, CONDITIONS OF ZONING, AND THE SOUTH ULTON SUBDIVISION REGULATIONS, AS AMENDED.

FOR THE DIRECTOR, COMMUNITY AND REGULATORY AFFAIRS

TATEMENT OF SLOPE EASEMENT

HIS PLAT IS APPROVED WITH THE UNDERSTANDING THAT EASEMENT IS GRANTED THE CITY OF SOUTH FULTON ALONG ALL ROAD FRONTAGE FOR THE PURPOSE OF SLOPING CUTS AND FILLS AS FOLLOWS: 0' TO 5' - NOT LESS THAN 3 TO 1 SLOPE

5' TO 10'- NOT LESS THAN 2 TO 1 SLOPE

INTEREST, SPECIFICALLY RELEASES THE CITY OF SOUTH FULTON FROM ANY AND ALL IABILITY AND RESPONSIBILITY FOR FLOODING OR EROSION FROM STORM DRAINS OR FROM FLOODING FROM HIGH WATER OF NATURAL CREEKS, RIVERS OR DRAINAGE FEATURES. A DRAINAGE EASEMENT IS HEREBY ESTABLISHED FOR THE SOLE PURPOSE OF PROVIDING FOR THE EMERGENCY PROTECTION OF THE FREE FLOW OF SURFACE WATERS ALONG ALL WATERCOURSES AS ESTABLISHED BY THESE REGULATIONS AND THE DIRECTOR OF THE DEPARTMENT OF PUBLIC WORKS. SAID DIRECTOR MAY CONDUCT EMERGENCY MAINTENANCE OPERATIONS WITHIN THIS EASEMENT WHERE EMERGENCY CONDITIONS EXIST. EMERGENCY MAINTENANCE SHALL BE THE REMOVAL OF TREES AND OTHER DEBRIS, EXCAVATION, FILLING AND THE LIKE, NECESSARY TO REMEDY A CONDITION. WHICH IN THE JUDGMENT OF STAFF AND DIRECTOR. IS POTENTIALLY INJURIOUS TO LIFE, PROPERTY, OR THE PUBLIC ROAD OR UTILITY SYSTEM. SUCH EMERGENCY MAINTENANCE, CONDUCTED FOR THE COMMON GOOD, SHALL NOT BE CONSTRUED AS CONSTITUTING A CONTINUING MAINTENANCE OBLIGATION ON THE PART OF THE CITY OF SOUTH FULTON COUNTY NOR ABROGATION OF THE CITY OF SOUTH FULTON'S RIGHT TO SEEK REIMBURSEMENT FOR EXPENSES FROM THE OWNER(S) OF THE PROPERTY(IES) OR THE LANDS THAT GENERATED THE

THE OWNER OF RECORD, ON BEHALF OF HIMSELF (ITSELF) AND ALL SUCCESSORS IN


THE INTERMEDIATE REGIONAL FLOOD (I.R.F.) AREAS SHOWN HERON WERE DETERMINED BY THE PROFESSIONAL ENGINEER WHOSE STAMP AND SIGNATURE ARE AFFIXED HERETO. THE CITY OF SOUTH FULTON DOES NOT, BY APPROVING THIS PLAT, WARRANT THEIR ACCURACY, NOT IMPLY THAT LAND OUTSIDE THE AREAS OF FLOOD HAZARD SHOWN, WILL BE FREE FROM FLOODING OR FLOOD DAMAGE. FURTHER, THE CITY OF SOUTH FULTON DOES NOT BY APPROVING THIS PLAT NOR ACCEPTING THE PUBLIC IMPROVEMENTS THEREIN, ASSUME MAINTENANCE OF THE FLOOD CARRYING CAPACITY OF THE FLOOD AREAS OR WATERCOURSES. MAINTENANCE SHALL REMAIN THE RESPONSIBILITY OF THE OWNER/S OF THE LAND UPON WHICH THEY EXIST. THE OWNER OF A LOT OR PARCEL, THAT CONTAINS A FLOOD HAZARD AREA, IS REQUIRED TO SUBMIT A SITE PLAN TO THE CITY OF SOUTH FULTON PRIOR TO THE INITIATION OF ANY IMPROVEMENTS TO THE LOT OR PARCEL. THE SITE PLAN SHALL INCLUDE THE LOCATION AND ELEVATION OF THE I.R.F. WITHIN THE LOT OR PARCEL AND THE EXISTING AND PROPOSED IMPROVEMENTS. APPROVAL OF THE SITE PLAN BY THE CITY OF SOUTH FULTON IS REQUIRED PRIOR TO THE SSUANCE OF A BUILDING PERMIT

CITY OF SOUTH FULTON, FULTON COUNTY, AND CITY OF ATLANTA PERSONNEL AND/OR AGENTS SHALL HAVE FREE AND TOTAL ACCESS TO AND ACROSS ALL EASEMENTS.

The floodway is the channel of a stream plus any adjacent floodplain areas that must be ke Areas of 0.2% annual chance flood: areas of 1% annual chance flood with SPECIAL FLOOD HAZARD AREAS INUNDATED BY 100-YEAR FLOOD

> 70NE AF-BASE FLOOD FLEVATIONS DETERMINED ZONE A-BASE FLOOD ELEVATIONS NOT-DETERMINED OTHER AREAS: ZONE X -AREAS TO BE OUTSIDE THE

HAVE THIS DATE EXAMINED THE NATIONAL FLOOD INSURANCE PROGRAM FLOOD INSURANCE RATE MAP (FIRM) AND FOUND THAT BY GRAPHIC PLOTTING ONLY, THE REFERENCE PARCEL **IS** LOCATED IN AN AREA HAVING SPECIAL FLOOD HAZARDS. MAP ID: 13121C0459 F EFFECTIVE DATE: 09/18/13 ZONE: AE/X



SITE ZONING NOTES: (ZONING CASE: Z83-215)

- NO MORE THAN 178 TOTAL DWELLING UNITS AT A MAXIMUM DENSITY OF 5 DWELLING UNITS PER ACRE BASED ON THE TOTAL ACREAGE ZONED AT LEAST ONE-THIRD OF ALL UNITS SHALL HAVE A HEATED FLOOR AREA OF 1300 sq ft OR
- MORE, AN NO MORE THAN ONE-THIRD OF ALL UNITS SHALL HAVE A HEATED FLOOR AREA OF BETWEEN 1,200 AND 1,300 sq.ft. NO MORE THAN ONE-THIRD OF ALL UNITS MAY HAVE A HEATED FLOOR AREA LESS THAN 1,200 BUT NOT LESS THAN 1,100 sq.ft.
- PROVIDE A 50 FEET WIDE LANDSCAPE STRIP CONTAINING A 4 FOOT HIGH LANDSCAPED EARTHEN BERM OR OTHER EQUIVALENT VISUAL SCREEN SUBJECT TO THE APPROVAL OF THE DIRECTOR OF PLANNING AND COMMUNITY DEVELOPMENT ALONG THE ENTIRE LENGTH OF THE EAST PROPERTY LINE. PROVIDE A TOTAL 100 FOOT BUILDING SETBACK FROM THE EAST PROPERTY LINE,
- INCLUDING THE LANDSCAPE STRIP. NO MORE THAN 1 EXIT ON BUFFINGTON ROAD. THE EXTERIOR OF ALL CONCRETE BLOCKS SHALL BE COATED WITH AN ARCHITECTURAL TREATMENT (E.G., EPOXY, STUCCO, BRICK VENEER, ETC.) OR AN ALTERNATE SOLUTION AS MAY BE APPROVED BY THE DIRECTOR OF ENVIRONMENT AND COMMUNITY DEVELOPMENT. LIMIT THE PROJECT IDENTIFICATION SIGNAGE ON THE ENTIRE PROPERTY TO NO MORE THAN ONE UNLIGHTED, DOUBLE-FACED FREE-STANDING MONUMENT SIGN ADJACENT TO

BUFFINGTON ROAD, HAVING NO MORE THE 12 SQ.FT. OF SURFACE AREA PER FACE AND

FURTHER NOT TO EXCEED A HEIGHT OF 4 FEET FROM FINISHED GRADE MEASURED FROM

- THE BASE OF THE SIGN STRUCTURE. IN THE 100 YEAR FLOOD PLAIN (INTERMEDIATE REGIONAL FLOOD), NO MORE THAN 20% OF THE TOTAL AREA CONTAINED THEREIN SHALL BE DISTURBED OR NO MORE THAN 10% COVERED BY IMPERVIOUS SURFACES. NO FILL MATERIAL SHALL BE BROUGHT INTO AND PLACED WITHIN THE BOUNDARIES OF THE I.R.F. AND THERE SHALL BE NO BUILDING CONSTRUCTION IN OR ABOVE THE LANDS WITHIN THE FLOOD PLAIN.
- MINIMUM INTERIOR SETBACKS WHEN ONE BUILDING PER LOT a. MINIMUM FRONT YARD-20 FEET FROM RIGHT-OF-WAY. b. MINIMUM SIDE YARD - 0.0 FEET IF UNITS ARE ATTACHED ON SEPARATE LOTS. 7.0 FEET ADJACENT TO INTERIOR LINE OR A 14 FOOT SEPARATION WITH UP TO 7 FOOT ENCROACHMENT & MAINTENANCE EASEMENT ON ADJACENT PARCELS.
- c. 15 FEET ADJACENT TO STREET.
- d. MINIMUM REAR YARD 25 FEET e. MINIMUM LOT AREA - 2,000 S.F. MAXIMUM LOT COVERAGE-THE AREA OF THE FOOT PRINT OF ALL BUILDINGS AND PARKING SHALL NOT EXCEED 50% OF THE TOTAL LAND AREA. MINIMUM BUILDING SEPARATION WHEN MORE THAN ONE BUILDING PER LOT. THE MINIMUM
- FRONT TO FRONT - 50 FFFT FRONT TO REAR - 60 FEET FRONT TO REAR - 50 FEET • FRONT OR REAR TO SIDE - 40 FEET
- SIDE TO SIDE
- NO MORE THAN TWENTY DWELLING UNITS SHALL FORM A SINGLE BUILDING. SETBACKS AND ROOF LINES SHALL BE VARIED BY AT LEAST 2 FEET SO THAN NO MORE THAN 3 ADJOINING DWELLINGS WITHIN A SINGLE BUILDING SHALL HAVE THE SAME FRONT SETBACK OR ROOF LINE.
- HEIGHT REGULATIONS-BUILDINGS SHALL BE NO HIGHER THAN 35 FEET OR 2 AND 1/2 STORIES, WHICHEVER IS HIGHER.

DISTANCES BETWEEN BUILDING SHALL BE AS FOLLOWS FOR MULTI FAMILY:

SITE DATA

OWNER/DEVELOPER: MORNING CREEK PARTNERS, LLC 6621 BAY CIRCLE, STE 170 PEACHTREE CORNERS, GA 30071

PHONE: 866-559-1910 ENGINEER/SURVEYOR: SOUTHEASTERN ENGINEERING, INC. 2470 SANDY PLAINS ROAD MARIETTA, GA 30066

PHONE: 770.321.3936 BOUNDARY: BOUNDARY SURVEY BY SEI, DATED AUGUST 2018 TOPOGRAPHY: COMBINATION OF FIELD RAN TOPOGRAPHY VARIOUS DATES AND GIS CONTOUR DATA (UPDATED JULY 2020)

SITE/DISTURBED AREA: NUMBER OF LOTS: 75


DENSITY: 75 LOTS / 17.2 = 4.36 UNITS PER ACRE FLOOD INFO: A PORTION OF THIS SITE IS LOCATED WITHIN THE 100 YEAR FLOOD

EXISTING ZONING: TR PER ZONING CASE #Z83-215 DEVELOPMENT MAX HEIGHT: 40 FEET

MIN LOT AREA: 2,000 SF STANDARDS: MAX DENSITY: 9 UNITS/ ACRE MIN LOT WIDTH: 20 FEET MIN DEVELOPMENT FRONTAGE: 35 FEET MIN LOT FRONTAGE: 20 FEET MIN HEATED FLOOR AREA: 1,100 SF MIN PERIMETER SETBACK: 40 FEET MIN PERIMETER SIDE YARD: 30 FEET TO INTERIOR 40 FEET TO STREET

ZONE PER FEMA FLOOD PANEL # 13121C0459F, DATED 9-18-13.

MIN PERIMETER REAR YARD: 35 FEET MIN FRONT YARD: 20 FEET MIN SIDE YARD: 0 FEET WHEN ATTACHED MAX DEVELOPMENT LOT COVERAGE: 50% MAX UNITS PER BUILDING: 20 UNITS



PRIVATE SEWER LATERAL/CROSS-ACCESS EASEMENTS ON LOTS ARE DEDICATED FOR THE PURPOSE OF ALLOWING SANITARY SEWER CONNECTIONS AND MAINTENANCE. THE EASEMENTS SHALL CONVEY WITH TITLE CHANGES TO EACH PROPERTY. THE CROSS-ACCESS EASEMENTS ARE DEDICATED AS SHOWN ON THE PLAT.


CITY OF SOUTH FULTON, FULTON COUNTY, AND CITY OF ATLANTA PERSONNEL AND/OR AGENTS SHALL HAVE FREE AND TOTAL ACCESS TO AND ACROSS ALL EASEMENTS.

PRINTED NAME AND TITLE

NO RENTAL OR LEASE OF LOTS OR HOUSES BY MORNING CREEK PARTNERS, LLC.

FULTON COUNTY HEALTH DEPARTMENT THIS DEVELOPMENT AS SHOWN IS APPROVED LIPON THE CONDITION THAT IT COMPLIES WITH THE FULTON COUNTY BOARD OF HEALTH'S ADOPTED MINIMUM LOT SIZE AND DPH CHAPTER 511-3-1, RULES FOR ONSITE SEWAGE MANAGEMENT SYSTEMS AND CHAPTER 511-3-3 DRINKING WATER SUPPLY WITH THE REQUIREMENTS BELOW: WATER SUPPLY SEWAGE DISPOSAL (X) PUBLIC WATER SUPPLY (X) PUBLIC SANITARY SEWER () INDIVIDUAL WATER WELL () INDIVIDUAL ONSITE SEWAGE SERVICE REQUIREMENTS - S/D TYPE SERVICE REQUIREMENTS - S/D TYPE (X) TYPE "A" () TYPE "C" DATED THIS _____ DAY OF ____ 20 __ REVISION DATE:

I CERTIFY THAT THIS SEWER REQUIREMEN REVISIONS TO THIS	DEVELOPMENT HAS CO TS OF FULTON COUNTY	ENT OF PUBLIC MPLIED WITH THE APPLICAS OF THE FOLLOWING IDATE BELOW THAT MAY AFFILS APPROVAL.	CABLE SANITARY DATE. ANY
APPROVED THIS	DAY OF	, 2024.	



VICINITY MAP (N.T.S.)

FLOOD NOTE:

HAVE THIS DATE EXAMINED THE NATIONAL FLOOD INSURANCE PROGRAM FLOOD INSURANCE RATE MAP (FIRM) AND FOUND THAT BY GRAPHIC PLOTTING ONLY, THE REFERENCE PARCEL **IS** LOCATED IN AN AREA HAVING SPECIAL FLOOD HAZARDS.

MAP ID: 13121C0459 F EFFECTIVE DATE: 09/18/13 ZONE: AE/X

CERTIFICATE AS TO RECORDING

THIS IS TO CERTIFY THAT THIS PLAT HAS BEEN RECORDED IN PLAT BOOK OF FULTON COUNTY, RECORDED ON _

CLERK, SUPERIOR COURT

FULTON COUNTY DRIVEWAY INDEMNIFICATION AGREEMENT SOUTH FULTON COUNTY PERSONNEL AND/OR AGENTS SHALL HAVE FREE AND TOTAL ACCESS TO, ACROSS AND UNDER DRIVEWAYS THAT WILL BE INSTALLED ON THESE RECORDED LOTS. FOR THE PURPOSES OF INSPECTION, REPAIR AND/OR CONSTRUCTION. AND SHALL HAVE NO RESPONSIBILITIES FOR DAMAGES TO. OR REPAIR OF

CERTIFICATE OF HOMEOWNERS ASSOCIATION: ALL LOTS SUBJECT TO CONVENIENCE OF A MANDATORY HOMEOWNER'S ASSOCIATION AS

DATED: 11/25/2019 AT THE CLERK OF SUPERIOR COURT, FULTON COUNTY, GA.

SUBJECT PHASE 3:

COMMON AREA: = 473,260 SQ. FT./ 10.86 ACRES

UTILITY EASEMENT/RIGHT-OF-WAY:

= 87,215 SQ. FT./ 2.00 ACRES

OWNER'S ACKNOWLEDGEMENT:

STATE OF GEORGIA, CITY OF SOUTH FULTON

(COUNTY OF FULTON)

THE OWNER OF RECORD OF THE LAND SHOWN ON THIS PLAT AND WHOSE NAME IS SUBSCRIBED THERETO, IN PERSON OR THROUGH A DULY AUTHORIZED AGENT, HEREBY ACKNOWLEDGES THAT THIS PLAT WAS MADE FROM AN ACTUAL SURVEY, DEDICATES TO THE PUBLIC FOR USE FOREVER THOSE WATER AND SEWER IMPROVEMENTS CONSTRUCTED IN ACCORDANCE WITH THIS PLAT THAT ARE SPECIFICALLY LABELED AS DEDICATED TO THE PUBLIC, AND DEDICATES TO THE CITY OF SOUTH FULTON, THE COMPLETE OWNERSHIP AND USE OF ALL PUBLIC STREETS AND DEDICATED RIGHT-OF-WAY SPECIFICALLY LABELED AS PUBLIC STREETS AND DEDICATED

RIGHT-OF-WAY, AND DEDICATES TO THE USE OF THE PUBLIC FOREVER THE FOLLOWING

PUBLIC SEWER EASEMENTS PUBLIC DRAINAGE EASEMENTS

PUBLIC PARKS/OPEN SPACE

____0.29___ ACRES 0.0 ACRES 0.0 ACRES

MORNING CREEK PARTNERS, LLC TYPED NAME OF SUBDIVIDER TYPED NAME OF OWNER OF RECORD

SIGNATURE OF SUBDIVIDER SIGNATURE OF OWNER OF RECORD

DETENTION CERTIFICATE:

THIS TO CERTIFY THAT THE VOLUME, STAGE-STORAGE RELATIONSHIPS, OUTLET CONTROL DEVICES AND THE STRUCTURES OF THE DETENTION PONDS, AS SHOWN ON THE L.D.P. PLAN FOR MORNING CREEK FOREST SUBDIVISION, IN LAND LOT 128, AND IS IN COMPLIANCE WITH THE PERMITTED HYDROLOGY REPORT AND CONSTRUCTION PLAN.


PRINTED NAME

REGISTERED GEORGIA PROFESSIONAL ENGINEER NUMBER: 31277

GEORGIA SURVEYOR CERTIFICATION

AS REQUIRED BY SUBSECTION (D) OF O.C.G.A. SECTION 15-6-67, THIS PLAT HAS BEEN PREPARED BY A LAND SURVEYOR AND APPROVED BY ALL APPLICABLE LOCAL JURISDICTIONS FOR RECORDING AS EVIDENCED BY APPROVAL CERTIFICATES, SIGNATURES, STAMPS OR STATEMENTS HEREON. SUCH APPROVALS OR AFFIRMATIONS SHOULD BE CONFIRMED WITH THE APPROPRIATE GOVERNMENTAL BODIES BY ANY PURCHASER OR USER OF THIS PLAT AS TO INTENDED USE OF ANY PARCEL. FURTHERMORE, THE UNDERSIGNED LAND SURVEYOR CERTIFIES THAT THIS PLAT COMPLIES WITH THE MINIMUM TECHNICAL STANDARDS FOR PROPERTY SURVEYS IN GEORGIA AS SET FORTH IN THE RULES AND REGULATIONS OF THE GEORGIA BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND SURVEYORS AND AS SET FORTH IN O.C.G.A. SECTION 16-6-67.





Project No.: 1124-18-133 Surveyed By: B. COVENEY Field Date: 10/27/2023

Drafted By: J. WOODS Issue Date: 12/06/2023

THIS BLOCK RESERVED FOR SUPERIOR COURT CLERK

	LINE TABLE			LINE TABLE	
LINE	DIRECTION	LENGTH	LINE	DIRECTION	LENGTH
L2	S 57°11'37" E	41.96'	L46	N 64°31'14" E	28.69'
L3	S 04°01'24" E	45.15'	L47	S 25°28'46" E	20.00'
L4	S 03°24'14" E	70.72'	L48	S 64°31'14" W	17.57'
L5	S 03°49'43" E	70.09'	L49	S 50°08'16" W	21.14'
L6	S 03°05'45" E	131.19'	L50	N 39°51'44" W	20.00'
L7	S 34°29'25" W	102.25'	L51	N 50°08'16" E	15.89'
L8	S 35°00'25" W	69.97'	L52	S 54°33'09" E	20.68'
L9	N 62°17'53" W	27.13'	L53	N 54°33'11" W	22.20'
L10	N 51°58'00" W	52.53'	L54	N 27°21'05" E	29.89'
L11	N 72°55'23" W	34.06'	L55	S 63°35'56" E	20.00'
L12	N 42°08'13" W	31.10'	L57	S 27°21'04" W	43.21'
L13	N 54°19'29" W	70.06'	L59	N 16°08'57" W	20.00'
L14	N 58°35'17" W	83.29'	L62	N 55°00'41" W	6.97'
L15	N 67°45'35" W	25.41'	L63	S 69°49'33" E	34.23'
L16	N 42°40'43" W	37.88'	L64	S 20°10'27" W	15.58'
L17	N 62°32'59" W	71.01'	L65	S 60°24'01" E	13.49'
L18	N 61°38'41" W	52.51'	L66	S 29°35'59" W	20.00'
L19	N 23°40'37" W	18.76'	L68	N 60°24'01" W	18.72'
L20	N 62°50'26" W	68.20'	L69	S 48°03'36" W	2.53'
L21	N 52°23'56" W	38.20'	L70	N 74°29'41" W	13.67'
L22	N 72°35'31" W	39.41'	L71	S 23°39'46" W	14.35'
L23	N 51°21'29" W	49.86'	L72	N 66°20'14" W	20.00'
L24	N 53°50'51" W	24.62'	L73	N 23°39'46" E	15.48'
L30	N 17°00'20" W	11.69'	L74	N 51°21'18" W	23.51'
L31	N 43°22'59" E	20.55'	L75	N 19°39'15" W	24.15'
L32	N 34°59'19" E	5.13'	L76	N 03°18'19" W	26.13'
L33	S 55°00'41" E	22.62'	L77	N 08°53'12" E	16.88'
L34	S 34°59'19" W	7.91'	L78	N 16°42'28" E	43.37'
L35	N 34°59'19" E	7.29'	L79	N 21°48'21" E	23.78'
L36	N 27°53'29" E	24.28'	L80	N 64°42'03" E	35.14'
L37	N 65°46'50" E	11.52'	L81	N 85°55'07" E	14.16'
L38	N 67°35'56" E	27.49'	L82	S 83°59'51" E	40.45'
L39	N 73°51'49" E	20.33'	L83	N 54°33'08" W	9.74'

Α	AREA TABLE			AREA TABLE		
#	ACRES	S.F.		#	ACRES	S.F.
43	0.08	3,508		109	0.05	2,005
44	0.07	2,871		110	0.05	2,005
45	0.11	4,576		111	0.05	2,005
46	0.08	3,481		112	0.05	2,005
75	0.07	2,832		113	0.05	2,005
76	0.05	2,051		114	0.05	2,005
77	0.05	2,021		115	0.05	2,005
78	0.05	2,018		116	0.06	2,695
79	0.05	2,018		117	0.09	4,024
80	0.05	2,018		118	0.05	2,014
81	0.05	2,018		119	0.05	2,014
82	0.05	2,018		120	0.05	2,014
83	0.07	3,069		121	0.05	2,014
84	0.07	2,923		122	0.05	2,014
85	0.05	2,018		123	0.05	2,014
86	0.05	2,018		124	0.05	2,014
87	0.05	2,018		125	0.06	2,706
88	0.05	2,018		126	0.06	2,666
89	0.05	2,018		127	0.05	2,012
90	0.05	2,018		128	0.09	3,893
91	0.08	3,441		129	0.09	4,011
92	0.07	3,212		130	0.05	2,035
93	0.05	2,014		131	0.05	2,032
94	0.05	2,013		132	0.10	4,358
95	0.05	2,013		133	0.08	3,474
96	0.05	2,013		134	0.05	2,050
97	0.05	2,013		135	0.05	2,020
98	0.05	2,013		136	0.14	6,002
99	0.05	2,021		137	0.06	2,664
100	0.05	2,031		138	0.05	2,016
101	0.05	2,080		139	0.05	2,016
102	0.09	3,941		140	0.05	2,015
103	0.10	4,473		141	0.05	2,015
104	0.05	2,069		142	0.10	4,440
105	0.05	2,019		143	0.09	3,902
106	0.05	2,005		144	0.05	2,247
107	0.05	2,005		145	0.09	4,062
108	0.05	2,005				

CURVE TABLE							
CURVE	ARC LEN.	RADIUS	CHORD	DIRECTION			
C2	76.35'	231.20'	76.00'	S 45°05'31" E			
С3	134.85'	200.00'	132.31'	S 35°29'09" E			
C4	43.67'	200.00'	43.59'	S 09°52'49" E			
C5	134.78'	200.00'	132.25'	S 15°40'56" W			
C6	135.70'	200.00'	133.11'	S 54°25'34" W			
C7	157.08'	100.00'	141.42'	S 10°00'41" E			
С9	28.07'	225.00'	28.05'	S 29°06'44" E			
C10	20.48'	225.00'	20.47'	N 22°55'30" W			
C11	16.34'	225.00'	16.34'	S 18°13'56" E			
C12	11.25'	225.00'	11.25'	N 14°42'14" W			
C13	27.38'	225.00'	27.36'	N 09°47'08" W			
C14	10.51'	225.00'	10.50'	N 04°57'43" W			
C15	1.70'	225.00'	1.70'	N 03°24'30" W			
C16	20.37'	225.00'	20.36'	N 00°35'59" W			
C17	20.55'	225.00'	20.54'	N 04°36'35" E			
C18	20.92'	225.00'	20.91'	N 09°53'21" E			
C19	18.81'	225.00'	18.81'	N 14°56'51" E			
C20	21.69'	225.00'	21.68'	N 20°06'15" E			
C21	20.62'	225.00'	20.62'	N 25°29'29" E			
C22	20.40'	225.00'	20.39'	N 30°42'51" E			
C23	6.59'	225.00'	6.59'	N 34°09'00" E			
C24	19.63'	12.50'	17.68'	S 10°00'41" E			
C25	27.66'	125.00'	27.60'	S 46°54'07" E			

CURVE TABLE								
CURVE	ARC LEN.	RADIUS	CHORD	DIRECTION				
C60	23.86'	225.00'	23.84'	N 29°38'54" W				
C61	20.20'	227.30'	20.19'	N 13°55'52" W				
C62	20.02'	225.00'	20.01'	N 17°04'10" E				
C63	7.73'	225.00'	7.73'	N 13°32'12" E				
C64	30.98'	75.00'	30.76'	N 43°10'43" W				
C65	20.69'	175.00'	20.67'	S 44°15'37" W				
C66	95.54'	125.00'	93.23'	S 18°40'02" E				
C67	21.25'	125.00'	21.22'	S 08°05'55" W				

TOP OF STRUCTURE	-	7.0'		50	
ELEV=878.19					
3.3					DUAL 18" RCP 11NV = 874.89
2			_8" PVC _INV=874.69		D'INV B.
BOTTO	OM OF BOX EV=872.99		OCS DETAI		

					1					
		CURVE T	ABLE					CURVE T	ABLE	
F	ARC LEN.	RADIUS	CHORD	DIRECTION		CURVE	ARC LEN.	RADIUS	CHORD	DIRECTION
	76.35'	231.20'	76.00'	S 45°05'31" E		C26	16.48'	225.00'	16.47'	S 71°45'57" W
	134.85'	200.00'	132.31'	S 35°29'09" E		C29	116.49'	75.00'	105.13'	N 10°30'56" W
	43.67'	200.00'	43.59'	S 09°52'49" E		C30	41.19'	175.00'	41.09'	N 41°43'52" E
	134.78'	200.00'	132.25'	S 15°40'56" W		C31	66.02'	175.00'	65.63'	N 59°15'21" E
	135.70'	200.00'	133.11'	S 54°25'34" W		C32	11.53'	175.00'	11.53'	N 72°07'18" E
	157.08'	100.00'	141.42'	S 10°00'41" E		C33	19.63'	12.50'	17.68'	S 61°08'08" E
	28.07'	225.00'	28.05'	S 29°06'44" E		C34	38.22'	175.00'	38.14'	S 09°52'49" E
	20.48'	225.00'	20.47'	N 22°55'30" W		C35	53.42'	175.00'	53.22'	S 05°07'16" W
	16.34'	225.00'	16.34'	S 18°13'56" E		C36	64.51'	175.00'	64.15'	S 24°25'40" W
	11.25'	225.00'	11.25'	N 14°42'14" W		C37	19.63'	12.50'	17.68'	S 79°59'19" W
	27.38'	225.00'	27.36'	N 09°47'08" W		C38	18.84'	12.50'	17.11'	S 30°41'24" W
	10.51'	225.00'	10.50'	N 04°57'43" W		C46	1.32'	75.00'	1.32'	S 34°29'04" W
	1.70'	225.00'	1.70'	N 03°24'30" W		C48	67.90'	206.20'	67.60'	N 45°07'07" W
	20.37'	225.00'	20.36'	N 00°35'59" W		C49	3.86'	125.00'	3.86'	N 54°07'35" W
	20.55'	225.00'	20.54'	N 04°36'35" E		C50	23.08'	197.00'	23.06'	S 31°50'04" E
	20.92'	225.00'	20.91'	N 09°53'21" E		C51	30.65'	197.00'	30.62'	S 24°01'16" E
	18.81'	225.00'	18.81'	N 14°56'51" E		C52	8.65'	197.00'	8.65'	S 18°18'18" E
	21.69'	225.00'	21.68'	N 20°06'15" E		C53	33.17'	256.20'	33.15'	S 39°17'55" E
	20.62'	225.00'	20.62'	N 25°29'29" E		C54	28.45'	256.20'	28.43'	S 46°11'18" E
	20.40'	225.00'	20.39'	N 30°42'51" E		C55	23.18'	256.20'	23.17'	S 51°57'39" E
	6.59'	225.00'	6.59'	N 34°09'00" E		C56	27.91'	125.00'	27.85'	S 28°35'32" W
	19.63'	12.50'	17.68'	S 10°00'41" E		C57	20.13'	125.00'	20.11'	S 17°34'56" W
	27.66'	125.00'	27.60'	S 46°54'07" E		C58	9.64'	206.20'	9.64'	N 37°01'43" W

LEG	END:					
RBF RBS OTP CTP SIB	REINFORCING BAR FOUND REINFORCING BAR SET OPEN TOP PIPE CRIMP TOP PIPE SOLID IRON BAR	SSE POB POC PI	POINT OF COMMENCEMENT POINT OF INTERSECTION			
CMF CL	CONCRETE MONUMENT FOUND CENTERLINE	DE	BUILDING SETBACK LINE DRAINAGE EASEMENT CATCH BASIN			
R/W LL	RIGHT-OF-WAY LAND LOT	0	UTILITY MANHOLE (SPECIFY TY			
LLL L A	LAND LOT LINE LINE ARC		DROP INLET HEAD WALL FLARED END SECTION (FES)			
R CH	RADIUS CHORD	TP TB	TELEPHONE PEDESTAL TELEPHONE BOX			
C CONC	CURVE CONCRETE	0 0	SEWER CLEANOUT FIRE HYDRANT			
-⊕ Š GM	GUY POLE GAS VALVE GAS METER		WATER VALVE WATER METER			
G	GAS MARKER	⊠ ⊠	WATER SEEP WATER SPIGOT			
	LAMP POLE POWER POLE FIBER OPTIC MARKER IRRIGATION CONTROL VALVE MONITORING WELL PRESSURE RELEASE VALVE PVC STUB		SIGN TRAFFIC BOX PEDESTRIAN SIGNAL CABLE BOX CENTERLINE BORE HOLE FENCE POST			
EM	POWER STUB ELECTRIC METER WETLAND FLAG					
CMP CORRUGATED METAL PIPE RCP REINFORCED CONCRETE PIPE CD = CROSS DRAIN						

GENERAL NOTES:

—X—X— FENCE

——SS—— SANITARY SEWER

 $-\sqrt{-}\sqrt{-}$ OVERHEAD UTILITY LINE(S).

PURSUANT TO RULE 180-6.09 OF THE GEORGIA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS, THE TERM "CERTIFY" OR "CERTIFICATION" RELATING TO LAND SURVEYING SERVICES SHALL MEAN A SIGNED STATEMENT BASED ON FACTS AND KNOWLEDGE KNOWN TO THE LAND SURVEYOR AND IS NOT A GUARANTEE

OR WARRANTY, EITHER EXPRESSED OR IMPLIED. INFORMATION REGARDING THE REPUTED PRESENCE, SIZE, CHARACTER, AND LOCATION OF EXISTING UNDERGROUND UTILITIES AND STRUCTURES IS SHOWN HEREON. THERE IS NO CERTAINTY OF THE ACCURACY OF THIS INFORMATION AND IT SHALL BE CONSIDERED IN THAT LIGHT BY THOSE RELYING ON THIS PLAT. THE LOCATION AND ARRANGEMENT OF UNDERGROUND UTILITIES AND STRUCTURES SHOWN HEREON MAY BE INACCURATE AND UTILITIES AND STRUCTURES NOT SHOWN MAY BE ENCOUNTERED. THE OWNER, ITS EMPLOYEES, ITS CONSULTANTS, ITS CONTRACTORS, AND/OR ITS AGENTS SHALL HEREBY DISTINCTLY UNDERSTAND THAT THE SURVEYOR IS NOT RESPONSIBLE FOR THE CORRECTNESS OR SUFFICIENCY OF THIS INFORMATION SHOWN HEREON AS TO SUCH UNDERGROUND INFORMATION.

UNLESS OTHERWISE STATED HEREON, ONLY EVIDENCE OF EASEMENTS OR STRUCTURES THERETO WHICH ARE READILY APPARENT FROM A CASUAL ABOVE GROUND VIEW OF PREMISES ARE SHOWN. NO LIABILITY IS ASSUMED BY THE UNDERSIGNED FOR LOSS RELATING TO THE EXISTENCE OF ANY EASEMENT NOT DISCOVERED FROM MY CASUAL ABOVE GROUND VIEW OF THE PREMISES. UNLESS STATED OTHERWISE, GOVERNMENTAL JURISDICTIONAL AREAS OR

NEGATIVE EASEMENTS, IF ANY, WHICH MIGHT IMPACT ON THE USE OF THE PREMISES WERE NOT LOCATED. NO LIABILITY IS ASSUMED BY THE UNDERSIGNED FOR ANY LOSS RESULTING FROM THE EXERCISE OF ANY GOVERNMENTAL JURISDICTION AFFECTING THE USE OF THE PREMISES. ACCEPTANCE OF THIS SURVEY PLAT OR USE OF THE CORNER MONUMENTS FOUND OR SET DURING THE PERFORMANCE OF THE FIELD SURVEY HEREBY LIMIT THE UNDERSIGNED LIABILITY RELATED TO PROFESSIONAL NEGLIGENT ACTS, ERRORS, OMISSIONS OR BREACH OF CONTRACT TO AN AMOUNT NOT TO EXCEED THE FEE CHARGED. FOR ADDITIONAL LIABILITY COVERAGE FROM THE UNDERSIGNED, A FEE OF 2% OF THE LIABILITY AMOUNT REQUESTED MUST BE PAID TO THE UNDERSIGNED PRIOR TO COMMENCEMENT OF THIS PROJECT.

REPRODUCTIONS OF THIS PLAT ARE NOT VALID UNLESS THE SEAL IS SIGNED WITH A "LIVE" SIGNATURE. UNLESS OTHERWISE STATED HEREON, THIS SURVEY WAS PREPARED WITHOUT BENEFIT OF AN ABSTRACT OF TITLE. NO LIABILITY IS ASSUMED BY THE UNDERSIGNED FOR LOSS RELATING TO ANY MATTER THAT MIGHT BE DISCOVERED BY AN ABSTRACT OR TITLE SEARCH OF THE PROPERTY.

GENERAL NOTES:

PURSUANT TO RULE 180-6.09 OF THE GEORGIA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS, THE TERM "CERTIFY" OR "CERTIFICATION" RELATING TO LAND SURVEYING SERVICES SHALL MEAN A SIGNED STATEMENT BASED ON FACTS AND KNOWLEDGE KNOWN TO THE LAND SURVEYOR AND IS NOT A GUARANTEE OR WARRANTY, EITHER EXPRESSED OR IMPLIED.

INFORMATION REGARDING THE REPUTED PRESENCE, SIZE, CHARACTER. AND LOCATION OF EXISTING UNDERGROUND UTILITIES AND STRUCTURES IS SHOWN HEREON. THERE IS NO CERTAINTY OF THE ACCURACY OF THIS INFORMATION AND IT SHALL BE CONSIDERED IN THAT LIGHT BY THOSE RELYING ON THIS PLAT. THE LOCATION AND ARRANGEMENT OF UNDERGROUND UTILITIES AND STRUCTURES SHOWN HEREON MAY BE INACCURATE AND UTILITIES AND STRUCTURES NOT SHOWN MAY BE ENCOUNTERED. THE OWNER, ITS EMPLOYEES, ITS CONSULTANTS, ITS CONTRACTORS, AND/OR ITS AGENTS SHALL HEREBY DISTINCTLY UNDERSTAND THAT THE SURVEYOR IS NOT RESPONSIBLE FOR THE CORRECTNESS OR SUFFICIENCY OF THIS INFORMATION SHOWN HEREON AS TO SUCH UNDERGROUND INFORMATION.

UNLESS OTHERWISE STATED HEREON, ONLY EVIDENCE OF EASEMENTS OR STRUCTURES THERETO WHICH ARE READILY APPARENT FROM A CASUAL ABOVE GROUND VIEW OF PREMISES ARE SHOWN. NO LIABILITY IS ASSUMED BY THE UNDERSIGNED FOR LOSS RELATING TO THE EXISTENCE OF ANY EASEMENT NOT DISCOVERED FROM MY CASUAL ABOVE GROUND VIEW OF THE PREMISES.

UNLESS STATED OTHERWISE, GOVERNMENTAL JURISDICTIONAL AREAS OR NEGATIVE EASEMENTS, IF ANY, WHICH MIGHT IMPACT ON THE USE OF THE PREMISES WERE NOT LOCATED. NO LIABILITY IS ASSUMED BY THE UNDERSIGNED FOR ANY LOSS RESULTING FROM THE EXERCISE OF ANY

GOVERNMENTAL JURISDICTION AFFECTING THE USE OF THE PREMISES. ACCEPTANCE OF THIS SURVEY PLAT OR USE OF THE CORNER MONUMENTS FOUND OR SET DURING THE PERFORMANCE OF THE FIELD SURVEY HEREBY LIMIT THE UNDERSIGNED LIABILITY RELATED TO PROFESSIONAL NEGLIGENT ACTS, ERRORS, OMISSIONS OR BREACH OF CONTRACT TO AN AMOUNT NOT TO EXCEED THE FEE CHARGED. FOR ADDITIONAL LIABILITY COVERAGE FROM THE UNDERSIGNED, A FEE OF 2% OF THE LIABILITY AMOUNT REQUESTED MUST BE PAID TO THE UNDERSIGNED PRIOR TO COMMENCEMENT OF THIS PROJECT.

FIELD WORK COMPLETED ON OR NEAR OCTOBER OF 2023

IRON PINS TO BE SET AT ALL CORNERS (IPF4RB) STORM-WATER DETENTION TO BE ACCOMPLISHED VIA DETENTION PONDS

FINAL DESIGNS TO BE COMPLETED DURING LAND DISTURBANCE PERMIT REVIEW. A 10' LANDSCAPE STRIP SHALL BE ESTABLISHED AROUND ALL DETENTION/WATER QUALITY PONDS PER CITY OF SOUTH FULTON STANDARDS, WATER OUALITY/DETENTION PONDS ARE LOCATED IN COMMON AREAS, SO NO 10' ACCESS EASEMENTS ARE REQUIRED.

ALL ROADS INTERIOR TO THE DEVELOPMENT ARE SHOWN AS 50' RIGHT-OF-WAY, WITH TYPICAL PAVEMENT WIDTHS DEPICTED. ALL ROAD DIMENSIONS ARE BASED ON ASBUILT ROAD LOCATIONS AND

CONDITIONS ARE ARE SHOWN FROM THE CENTERLINE OF THE ROAD TO THE LIMIT OF SHOWN RIGHT-OF-WAY. SIDEWALKS SHALL BE INSTALLED THROUGHOUT THE DEVELOPMENT PER CITY OF SOUTH FULTON STANDARDS. ALL SIDEWALKS TO BE 5 FEET IN

NO EROSION AND SEDIMENT CONTROL MEASURES SHOWN FOR CONCEPT REVIEW, MEASURES SHALL BE DESIGNED FOR LAND DISTURBANCE PERMIT

YARD SETBACKS SHOWN ON LOTS. SEE ZONING CONDITIONS ON COVER SHEET FOR PROPOSED YARD REQUIREMENTS.

THIS SITE DOES LIE WITHIN THE 100 YEAR FLOOD ZONE PER FEMA FIRM PANEL NUMBER:13121C0459F, DATED 09182013, AND IS IN ZONE AE & X. PURSUANT TO RULE 180-6.09 OF THE GEORGIA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS, THE TERM CERTIFY OR CERTIFICATION RELATING TO LAND SURVEYING SERVICES SHALL MEAN A SIGNED STATEMENT BASED ON FACTS AND KNOWLEDGE KNOWN TO THE LAND SURVEYOR AND IS NOT A GUARANTEE OR WARRANTY, EITHER EXPRESSED OR IMPLIED.

DEED/PLAT DISCLAIMER: THIS PLAT MAY NOT CONFORM TO THE BEARINGS AND DISTANCES RECORDED ON THE DEED AND/OR PLAT OF RECORD DUE TO THE SEVERAL FACTORS INCLUDING, BUT NOT LIMITED TO, THE NATURE IN THE ADVANCES IN SURVEYING TECHNOLOGY SUCH AS ELECTRONIC MEASURING DEVICES MORE PRECISE ANGULAR MEASUREMENTS AND THE USE OF SATELLITE SURVEYING TECHNIOUES USING THE GLOBAL POSITIONING SYSTEM (GPS) SATELLITE CONSTELLATIONS, SURVEYS USING SATELLITE OBSERVATIONS ARE CORRECTED TO THE GEORGIA WEST STATE PLANE COORDINATE SYSTEM AND USE "GEODETIC" OR "GRID" NORTH AS

OPPOSED TO "MAGNETIC" NORTH. CORNER LOT ADDRESSES ARE DETERMINED BY DRIVEWAY LOCATIONS.

DISTANCES SHOWN ON PLAT SHALL BE HORIZONTAL.

ALL COMMON AREAS ARE TO BE OWNED AND MAINTAINED BY THE HOMEOWNERS ASSOCIATION IN PERPETUITY. CITY OF SOUTH FULTON, FULTON COUNTY, AND CITY OF ATLANTA,

PERSONNEL AND/OR AGENTS SHALL HAVE FREE AND TOTAL ACCESS TO AND ACROSS ALL EASEMENTS. ALL LOTS TO BE SERVICED BY FULTON COUNTY AND CITY OF SOUTH

FULTON SANITARY SEWER. ALL WATER LINES TO HAVE A 10' EASEMENT.

THERE ARE NO TRASH/BURIAL PITS ON SITE. ALL DRAINAGE EASEMENTS SHOWN HERON ARE TO BE CENTERED ON EXISTING DRAINAGE STRUCTURES.

ALL EASEMENTS SHOWN HEREON ARE PUBLIC EASEMENTS, UNLESS OTHERWISE SHOWN.


ALL SANITARY SEWER LINES ARE 8" PVC UNLESS SHOWN OTHERWISE. REFERENCE BENCH MARK BASED ON CITY OF SOUTH FULTON GIS MONUMENT F-387 & F487, AS SHOWN HEREON.

BEARINGS AND DISTANCES SHOWN ON FINAL PLAT BASED ON FIELD RUN SURVEY MEASURING ANGLES AND DISTANCES. DISTANCES SHOWN ON THE PLAT SHALL BE HORIZONTAL



Project No.: 1124-18-133 Surveyed By: B. COVENEY Field Date: 10/27/2023

Drafted By: J. WOODS Issue Date: 12/06/2023



L45 N 54°33'08" W 22.88'

