

SOURCEWELL CONTRACT NO. 101221-GPV

GapVax®

PREPARED BY

AQUIP

PREPARED FOR

FULTON COUNTY GA
TRAVIS PROCTOR

QUOTE

GapVax®



QUOTE ID
25xxx

UPDATED:
2/5/25

**2025 MC1312-3S3X COMBINATION JET/VAC**

QUOTE ID: 25xxx

February 25, 2025

NOTE: THE GAPVAX MC UNIT MAY EXCEED FEDERAL BRIDGE ALLOWABLE WEIGHTS WHEN LOADED WITH WATER, OR DEBRIS, AND/OR BOTH WATER AND DEBRIS COMBINED. PLEASE CONSULT FACTORY.

OPTION DESCRIPTION		NOTES	QTY
CHASSIS OPTIONS			
CHA001	FREIGHTLINER 114SD (6 X 4) - 370 HP - 62,000 LB. GVWR - AUTO	MODEL YEAR 2025	1
	CUMMINS L9 RATED FOR 370 HP	CONSULT FACTORY	
	ALLISON 6 SPEED AUTOMATIC	PRICES MAY VARY	
	22,000 LB FRONT AXLE		
	46,000 LB REAR AXLE		
DEBRIS BODY OPTIONS			
STD	12 USABLE YARD DEBRIS TANK MADE OF 3/16" ASTM A-572 GRADE 50 EXTEN STEEL		STANDARD
STD	FULL-OPENING REAR TAILGATE		STANDARD
STD	STAINLESS STEEL TAILGATE SEALING ROD		STANDARD
STD	FOUR HYDRAULIC REAR DOOR LOCKS		STANDARD
STD	DUAL TAILGATE LIFT CYLINDERS		STANDARD
STD	FRONT MOUNTED HOIST CYLINDER, POWER UP AND DOWN, 55,000 LB CAPACITY		STANDARD
STD	THREE TIE-OFF ANCHORS ON TOP OF BODY		STANDARD
STD	FIVE YEAR WARRANTY ON DEBRIS TANK AGAINST RUST THROUGH, DISTORTION AND CRACKS		STANDARD
STD	THREE TIE-OFF ANCHORS ON TOP OF THE BODY 6' APART		STANDARD
A1C	STAINLESS DEBRIS BODY FLUSH OUT SYSTEM, MOUNTED AT MID-LEVEL IN DEBRIS TANK	INCLUDES LOW POINT DRAIN	1
A2A	DRAIN AT BOTTOM OF TAILGATE - 6" BRASS LEVER VALVE WITH 15' OF LAYFLAT HOSE	VALVE IS NOT 100% LEAK PROOF	1
A6A	TRASH PUMP - 4" RATED UP TO 800 GPM WITH LAY-FLAT HOSE AND CAM-LOC FITTINGS	NOT RECOMMENDED FOR CONTINUOUS USE	1
A11A	FILTER SCREEN FOR DRAIN VALVE (SHORT BOX)	REQUIRES A2	1
A12A	FILTER SCREEN FOR DRAIN VALVE (LONG BOX)	REQUIRES A2	1
A21	CURBSIDE LADDER TO PORT INSPECTION AREA		1
A21B	ADD FOLDING LADDER EXTENSION	REQUIRES A21	1
A22A	GALVANIZED BOLT ON TAILGATE SPLASH SHIELDS		1
A37A	UPGRADE BODY INLET CANNON TO HX STYLE WITH CLEANOUT		1
A44	PNEUMATIC TAILGATE PROP (IN ADDITION TO STANDARD TAILGATE PROP ROD)		1
WATER TANK OPTIONS			
STD	1300 GALLON WATER TANK MADE OF 3/16" 304 STAINLESS STEEL		STANDARD

STD	4" HIGH ANTI-SIPHON RING WITH (4) 2-1/2" HOLES	STANDARD
STD	WATER TANK LEVEL SIGHT TUBE ON CURBSIDE	STANDARD
STD	DRAIN VALVE AT BOTTOM OF WATER TANK	STANDARD
STD	3" FILL LINE WITH 2-1/2" FIRE HOSE CONNECTION CURBSIDE	STANDARD
STD	3" WATER STRAINER WITH STAINLESS STEEL SCREEN ON WATER TANK FILL LINE	STANDARD
STD	3" SUPPLY LINE TO WATER PUMP MOUNTED AT REAR HINGE PIN	STANDARD
STD	FIVE YEAR WARRANTY ON WATER TANK AGAINST RUST THROUGH, DISTORTION AND CRACKS	STANDARD
B23A	GALVANIZED BAFFLES IN THE WATER TANK	1
B30	UPGRADE TO BUTTERFLY VALVE IN 3" SUPPLY LINE	STANDARD
VACUUM SYSTEM OPTIONS		
STD	TRUE 8" DIAMETER VACUUM SYSTEM	STANDARD
STD	VACUUM PUMP DRIVEN VIA MID-SHIP MOUNTED SPLIT SHAFT TRANSFER CASE GEARBOX (PTO)	STANDARD
STD	NOISE & VIBRATION DAMPENING MOUNTS ON VACUUM PUMP AND TRANSFER CASE	STANDARD
STD	NOISE ATTENUATED VACUUM PUMP DISCHARGE SILENCER WITH RAIN CAP AND DRAIN	STANDARD
STD	24" CENTRIFUGAL CYCLONE SEPARATOR WITH 20" CHAMBER	STANDARD
STD	DUAL STAINLESS STEEL SHUTOFF FLOAT BALLS MOUNTED AT THE REAR OF DEBRIS TANK	STANDARD
STD	STAINLESS STEEL VEE-WIRE SAFETY SCREEN	STANDARD
STD	6" SAFETY VACUUM RELIEF	STANDARD
STD	PANIC SWITCH FUNCTION FOR VACUUM	STANDARD
C8	UPGRADE TO ROOTS TYPE VACUUM PUMP 4,500 CFM AND 18" HG (4) 18" Hg VACUUM RELIEF VALVES	1
C2	6" MANUAL VACUUM RELIEF VALVE RECOMMENDED WITH PUMP-OFF SYSTEM	1
C19	UPGRADE TO XL TRANSFER CASE 9-LITER ENGINE = UP TO 5300 CFM, REQUIRES OPTION C8	1
WATER SYSTEM OPTIONS		
STD	TRI-PLEX WATER PUMP SYSTEM	STANDARD
STD	AIR PURGE SYSTEM FOR PRIMARY CIRCUIT	STANDARD
STD	LOW POINT DRAIN VALVES ON WATER LINES	STANDARD
D4	MULTIFLOW CONTROL AND SAFETY REGULATOR VALVE (MSUV)	1
STD	WASHDOWN CIRCUIT WITH 50' X 1/2" HOSE, QUICK CONNECT, AND WASHDOWN HAND GUN 50-FT HOSE REEL	STANDARD
STD	WASHDOWN CIRCUIT(S) WILL INCLUDE A SAFETY FLOW RESTRICTOR (1/4" HOSE)	STANDARD
D7A	HOSE REEL FOR STANDARD WASHDOWN CIRCUIT, 50' X 1/2"	1
D3B	GENERAL MKS "2" SERIES WATER PUMP RATED AT 80 GPM @ 2500 PSI (P/N: PUM022755)	1
D-GPVC	VIBRATION DAMPENING COUPLER - WATER PUMP	REQUIRED
D27A	10 GPM / 2,500 PSI HYDRAULICALLY DRIVEN PUMP (COMMON WITH BODY HYDRAULIC SYSTEM) REQUIRES OPTION J303 HYDRAULIC OIL COOLER	1
D20A	NON-REMOVABLE LATERAL HOSE REEL - 150' X 1/2" HOSE	1

D21	WATER RECIRCULATION VIA AUTOMATIC TRANSMISSION (INCLUDES WASHDOWN, ADDITIONAL CIRCUITS, AND LATERAL REEL)	JETTER SYSTEM ONLY	1
D28A	GLYCOL INJECTION SYSTEM - JETTER PUMP ONLY		1
D4-HX+RA	PNEUMATICALLY OPERATED HX WATER PRESSURE RELIEF VALVE WITH ACTUATED HOSE REEL VALVE (P/N: VAL022790) (G2B)	HX SYSTEM	1
D7B	50' X 1/2" HOSE REEL FOR HX SYSTEM		1
D18	AIR OUT FOR HX SYSTEM / HX CIRCUIT		1
D28	GLYCOL INJECTION SYSTEM - HX SYSTEM		1
	NOTE: IF GLYCOL IS SELECTED FOR BOTH THE JETTER SYSTEM (OPTION D28A) AND THE HX SYSTEM (OPTION D28B), ONLY ONE COMMON GLYCOL TANK WILL BE PROVIDED		1
D35C	1/2" "DIG PIG" HX LANCE WITH 6' EXTENSION AND "DIG PIG" HX NOZZLE		1
BOOM OPTIONS			
STD	8" FRONT MOUNTED TELESCOPING BOOM WITH 26' REACH AND 180 DEG. ROTATION		STANDARD
STD	180 DEGREE POWER ROTATION VIA WORM DRIVE		STANDARD
STD	DUAL 4" LIFT CYLINDERS		STANDARD
STD	CAB PROTECTION RACK		STANDARD
E6	REMOTE LUBE FOR BOOM LIFT AND ROTATION		1
HOSE REEL OPTIONS			
STD	FRONT FRAME MOUNTED HOSE REEL WITH 180 DEGREE ARTICULATION		STANDARD
STD	HOSE REEL RATED FOR 800' OF HOSE AND 3,000 PSI		STANDARD
STD	EXTERIOR HOSE EXPANSION RIBS		STANDARD
F1C	DIGITAL FOOTAGE COUNTER - SHAFT-MOUNTED		1
F11	AUTOMATIC HOSE LEVEL WINDER (INCLUDES "J-HOOK" STLYE HOSE GUIDE)		1
CONTROLS, GAUGES, ACCESSORIES OPTIONS			
STD	CAB-MOUNTED CONTROLS FOR BLOWER AND HYDRAULICS		STANDARD
STD	CONTROL PANEL MOUNTED AT FRONT HOSE REEL WITH WATER PUMP CONTROLS		STANDARD
STD	OPERATOR CONTROL PANEL INCLUDES GAUGES FOR ENGINE, HYDRAULICS, VACUUM, AND WATER PUMP		STANDARD
STD	PANIC SWITCH TO RELIEVE WATER PRESSURE AND VACUUM ON FRONT PANEL AND CURB SIDE OF UNIT		STANDARD
G2B	G2B CONTROL SYSTEM WITH DM430 DISPLAY INCLUDES:	WIRELESS CONTROL REQUIRED	1
	LOW WATER SHUTDOWN PROTECTION		1
	HIGH WATER TEMPERATURE SHUTDOWN PROTECTION		1
	ENGINE OVERSPEED PROTECTION		1
	ON-SCREEN DIAGNOSTICS FOR WATER, PTO AND ENGINE LEVELS		1
G6	BLOWER TEMPERATURE GAUGE WIRED TO VACUUM RELIEF	NOT AVAILABLE WITH OPTION C17	1
NOTE:	WIRELESS TO INCLUDE HX WATER PRESSURE (ON/OFF) CONTROL		1
G21D	WIRELESS REMOTE WITH BOOM, VACUUM, FRONT HOSE REEL WATER ON/OFF, AND FRONT HOSE REEL IN/OUT (HOSE REEL ROTATE INCLUDED ONLY IF OPTION F6 IS SELECTED)		1

G21-TD	AARCOMM TRIDENT REMOTE	1
G21-AWR	ADDITIONAL WIRELESS TRANSMITTER	1
LIGHTING		
STD	TRUCK-LITE LED RUNNING (MARKER) LIGHTS	STANDARD
STD	LED STOP/TAIL/TURN LIGHT WITH POLISHED STAINLESS STEEL BOXES	STANDARD
H1	ONE LED STROBE BEACON LIGHT - FRONT (SAE CLASS-1 (SAE J595) COMPLIANT) (WHELEN L10 OR EQUAL)	1
H5B	(2) BOOM WORK LIGHTS - HELLA LED WORK LIGHTS (PN: LHT022429)	1
H6B	(2) REAR WORK LIGHTS - HELLA LED WORK LIGHTS (PN: LHT022429)	1
H7BA	(2) SIDE WORK LIGHTS - HELLA LED WORK LIGHTS (PN: LHT022429) (1 PER SIDE)	1
H18C	REAR WHELEN ION SUPER LED FLASHERS - 6 LIGHT HEADS	1
	3 ON EACH SIDE REAR (1 @ 45 DEGREES)	1
H22	REAR ARROW LIGHT - LOW PROFILE LED ARROW STICK (CLASS-1 (SAE J595)) WHELEN TAM85 OR EQUAL	1
STORAGE OPTIONS		
STD	25' FIRE HOSE BASKET	STANDARD
I22	UPGRADE TUBE TRAYS TO STAINLESS STEEL	1
I8B-DS	30" TOOL BOX - ALUMINUM, 30" WIDE X 24" TALL X 24" DEEP, MOUNTED ON THE DRIVER'S SIDE	1
I9B	48" TOOL BOX - ALUMINUM, 48" WIDE X 24" TALL X 24" DEEP, MOUNTED ON THE CURBSIDE	1
I25B	TUNNEL TOOLBOX - ALUMINUM, 30" HIGH X 24" WIDE X 50" DEEP	1
I14	TRAFFIC CONE HOLDER ON DRIVER'S SIDE	1
I16A	WHEEL CHOCK HOLDER (PER SIDE) - DRIVER'S SIDE	1
I16B	WHEEL CHOCK HOLDER (PER SIDE) - CURBSIDE	1
I17A	NOZZLE RACK - SIX (6) NOZZLES, 1"	1
I26B	TWO BUMPER TOOL BOXES - ALUMINUM, 16" HIGH X 12" WIDE X 18" DEEP WITH FOLD DOWN DOOR	1
CHASSIS OPTIONS		
STD	DOT LIGHTING / FENDERS / MUD FLAPS / TAILGATE SAFETY PROP, ICC LIGHTS	STANDARD
STD	REMOTE ACTUATED BODY SAFETY PROP	STANDARD
STD	70 GALLONS AW-46 HYDRAULIC OIL, LEVEL/TEMPERATURE GAUGE, SHUTOFF ON SUCTION	STANDARD
STD	REAR BUMPER, TRIANGLE KIT, FIRE EXTINGUISHER, BACKUP ALARM	STANDARD
STD	ALLISON 10-BOLT PTO UPGRADE	STANDARD
J000	MID-SHIP MOUNTED (SPLIT-SHAFT) TRANSFER CASE WITH TOP DISCONNECT	1
J0	FRONT BUMPER	1
J3	TOW HOOKS FRONT	1
J4B	TOW HOOKS REAR - FRAME MOUNTED	1
J12-SS	STAINLESS STEEL METAL MUD FLAPS IN FRONT OF REAR TIRES SS MUD FLAP UPGRADE	1
J303	ADD HYDRAULIC OIL COOLER TO CIRCUIT	1

PAINT OPTIONS	
PAINTED WITH PPG URETHANE PAINT	STANDARD
PAINT BODY WHITE	STANDARD
PAINT FRAME AND PARTS BLACK	STANDARD
PAINT HOSE REEL AND BOOM BLACK	STANDARD
FLEET FINISH	STANDARD
MISCELLANEOUS OPTIONS	
25 FEET OF VACUUM TUBING (5) AND CLAMPS	STANDARD
TIGER TAIL HOSE GUIDE	STANDARD
TWO SEWER CLEANING NOZZLES	STANDARD
FILL HOSE 25' X 2 1/2"	1
1" PIRHANA SEWER HOSE - 2,500 PSI X 600 FT PLASTIC (ORANGE) (PN: HOS022393)	1
MANHOLE LIFTING HOOK	1
HYDRANT WRENCH	1
(5) TRAFFIC CONES - 28" LIME GREEN WITH REFLECTIVE STRIPE	1
ONE CAMERA - BACK-UP CAMERA SYSTEM WITH 7" COLOR MONITOR (RV-505A), INCLUDES DVR-916 REAR CAMERA	1



PRICING SUMMARY

PRICE OF BASE UNIT WITH OPTIONS:	\$ 725,863.86
SOURCWell DISCOUNT:	\$ 71,066.78
DELIVERY: (\$1,000.00 MINIMUM) @ \$4.00 PER MILE	\$ -
ESTIMATED SUBTOTAL:	\$ 654,797.09
SALES TAX:	\$ -
FEDERAL EXCISE TAX (BODY):	\$ -
FEDERAL EXCISE TAX (CHASSIS):	\$ -
TOTAL PRICE (PER UNIT):	\$ 654,797.09

ALL PRICES ARE IN US DOLLARS

ALL ORDERS ARE SUBJECT TO CURRENT PRICES IN EFFECT AT THE TIME OF ORDER ACKNOWLEDGMENT. PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. PRICING DISCLAIMER: WHILE WE MAKE EVERY EFFORT TO MAINTAIN AND PRESERVE PRICING ACCURACY, ALL COST INCREASES INCURRED AFTER ORDER ACKNOWLEDGMENT FOR MAJOR COMPONENTS AND GOVERNMENT MANDATED REQUIREMENTS, TARIFFS, AND RAW MATERIAL SURCHARGES WILL BE PASSED THROUGH AND ADDED TO CUSTOMER INVOICES WITH OR WITHOUT NOTICE. ALTHOUGH THE INFORMATION ON THIS QUOTATION IS PRESENTED IN GOOD FAITH AND BELIEVED TO BE CORRECT AT THE TIME OF PRINTING, WE MAKE NO REPRESENTATIONS OR WARRANTIES AS TO THE COMPLETENESS OR ACCURACY OF THIS INFORMATION. WE RESERVE THE RIGHT TO CHANGE, DELETE, OR OTHERWISE MODIFY THE PRICING INFORMATION WHICH IS REPRESENTED HEREIN WITHOUT ANY PRIOR NOTICE. WE CAREFULLY CHECK PRICING SPECIFICATIONS, BUT OCCASIONALLY ERRORS CAN OCCUR, THEREFORE WE RESERVE THE RIGHT TO CHANGE SUCH PRICES WITHOUT NOTICE. WE DISCLAIM ALL LIABILITY FOR ANY ERRORS OR OMISSIONS IN THE MATERIALS. IN NO EVENT WILL WE BE RESPONSIBLE FOR ANY DAMAGES OF ANY NATURE WHATSOEVER FROM THE RELIANCE UPON INFORMATION FROM THESE MATERIALS. PLEASE CHECK YOUR ORDER TO CONFIRM YOUR PRICING INFORMATION

*** FOB FACTORY, JOHNSTOWN, PA ***

TERMS: 15% DOWN PAYMENT BALANCE DUE UPON COMPLETION. IN THE EVENT OF THE PURCHASERS DEFAULT AND THE TERMINATION OF THIS SALES PROPOSAL AGREEMENT PRIOR TO START OF PRODUCTION, 25% OF THE DOWN PAYMENT SHALL BE FORFEITED AND APPLIED TO GAPVAX, INC. AS PART OF ITS DAMAGES. ONCE PRODUCTION HAS COMMENCED ON THIS SALES PROPOSAL AGREEMENT, IN THE EVENT OF THE PURCHASERS CANCELLING THE SALES PROPOSAL AGREEMENT, OR FAILING TO ACCEPT DELIVERY, OR FAILING TO COMPLETE THE SALES PROPOSAL AGREEMENT, THE ENTIRE DEPOSIT SHALL BE FORFEITED TO GAPVAX, INC. BUT SUCH FORFEITURE SHALL NOT PREJUDICE ANY OTHER REMEDY WHICH GAPVAX, INC. MAY HAVE FOR BREACH OF ANY OF THE SALES PROPOSAL AGREEMENT. IN THE EVENT OF A COMPLETED UNIT NOT BEING FUNDED IN A PROMPT AND TIMELY MANNER, AN ADDITIONAL FEE WILL OCCUR TO COVER THE ADDITIONAL FLOOR PLAN EXPENSE. FEDERAL EXCISE TAX AND DELIVERY ARE LISTED. STATE SALES TAX IS NOT INCLUDED. STATE SALES TAX AND VEHICLE REGISTRATION IS THE RESPONSIBILITY OF THE PURCHASER. EXCLUDES ALL OTHER APPLICABLE TAXES, DUTIES, TARIFFS, BROKERAGE, OR DOCUMENTATION FEES. DELIVERY, IF COORDINATED BY GAPVAX, IS \$4.00 PER MILE, \$1,000.00 MINIMUM.

DELIVERY TERMS: TERMS OF DELIVERY SHALL BE F.O.B. SHIPPING POINT, JOHNSTOWN, PENNSYLVANIA, U.S.A. THIS PROPOSAL WILL REMAIN IN EFFECT FOR 30 DAYS, UNLESS CHANGED IN THE INTERIM UPON WRITTEN NOTICE FROM THE COMPANY. PLEASE RETURN ONE SIGNED COPY OF THIS PROPOSAL, AND ANY FUTURE CORRESPONDENCE TO: GAPVAX, INCORPORATED, 575 CENTRAL AVE., JOHNSTOWN, PA 15902. BY SIGNING THIS PROPOSAL, PURCHASER THEREBY EXPRESSES ACCEPTANCE OF EACH AND EVERY TERM AND CONDITION SET FORTH HEREIN. ANY PURCHASE ORDER OR ACKNOWLEDGMENT OFFERING TERMS INCONSISTENT WITH THE TERMS AND CONDITIONS HEREOF SHALL HAVE NO BINDING EFFECT WHATSOEVER ON GAPVAX INCORPORATED (THE "COMPANY") OR THE TERMS AND CONDITIONS HEREOF. THIS DOCUMENT AND THE OTHER DOCUMENTS SPECIFICALLY REFERRED TO AS BEING A PART HEREOF, CONSTITUTE THE ENTIRE CONTRACT ON THE SUBJECT MATTER, AND SHALL NOT BE MODIFIED EXCEPT IN WRITING SIGNED BY BOTH PARTIES. ASSIGNMENT MAY BE MADE ONLY WITH WRITTEN CONSENT OF THE OTHER PARTY.

SIGNATURE

DATE

Please return a signed copy to betty@gapvax.com

Chassis and Demo Units are SUBJECT TO PRIOR SALE, a 15% deposit is required with signed proposal

QUOTE ID
25xxx

LAST UPDATED:
2/5/25

GapVax Incorporated

Terms and Conditions of Sale

1. **ORDERS.** All orders are subject to acceptance by an officer of GapVax Inc. Orders for products not regularly carried in stock or requiring special engineering or manufacture are in every case subject to approval by an officer of GapVax.
2. **PERFORMANCE.** GapVax Inc. shall not be liable for failure to complete the contract in accordance with its terms if failure is due to wars, strikes, fires, floods, accidents, delays in transportation or other causes beyond its reasonable control.
3. **EXPERIMENTAL WORK.** Work performed at customer's request such as sketches, drawings, design, testing, fabrication and materials shall be charged at current rates.
4. **SKETCHES, ENGINEERING DRAWINGS, MODELS** and all preparatory work created or furnished by GapVax Inc. shall remain its exclusive property; and no use of same shall be made, nor may ideas obtained therefrom be used, except with the consent of and on terms acceptable to GapVax Inc.
5. **CANCELLATION.** Orders regularly entered cannot be canceled except upon terms that will compensate GapVax Inc. for any loss or damage sustained.
6. **SHIPMENT.** All proposals are based on continuous and uninterrupted delivery of the order upon completion unless specifications distinctly state otherwise. In the event that an agreement is reached for GapVax Inc. to store completed items, they will be immediately invoiced to the customer and become due and payable. Storage shall be at the risk of the customer and GapVax Inc. shall be liable only for ordinary care of the property.
7. **CUSTOMER'S PROPERTY.** GapVax Inc. shall charge the customer at current rates, for handling and storing customer's property (e.g., truck chassis) held for more than thirty (30) days after notification of availability for shipment. All customer's property, or third party's property, that is stored by GapVax Inc. is at the customer's or other party's risk. GapVax is not liable for any loss or damage thereto caused by fire, water, corrosion, theft, negligence, or any cause beyond its reasonable control.
8. **PRICES.** All orders are subject to current prices in effect at the time of order acknowledgment. Prices and Specifications are Subject to Change Without Notice. **PRICING DISCLAIMER:** While we make every effort to maintain and preserve pricing accuracy, prices are subject to change without notice. Although the information on this quotation is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete, or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order to confirm your pricing information.
9. **F.O.B. POINT.** Unless otherwise stated, all prices listed are F.O.B. point of manufacture.
10. **TAXES.** Unless specifically stated, prices listed do not include Federal, State, City or other excise occupation, sales, use or similar taxes which are extra and are to be added at rates in effect at time of shipment. If federal Excise Taxes are included or listed on the reverse side of this paper, they are stated at the rates and regulations in effect at the time this order is written and are subject to revision in accordance with rates and regulations in effect at time of shipment.
11. **PRODUCT IMPROVEMENT.** GapVax Inc. reserves the right to change manufacturing specifications and procedures without incurring any responsibility for modifying previously shipped products.
12. **MOUNTING PRICES.** Mounting prices assumes normal factory installation on a truck chassis suitable for the unit purchased. Relocation of batteries, gas tanks, mufflers, air tanks, etc. will be an additional charge, billed at the standard factory labor rate.
13. **WARRANTY.** GapVax Inc. warrants its products to be free from defects in material and workmanship, subject to the limitations and conditions set forth in its current published warranty but makes no warranty of merchantability or fitness for any particular purpose. GapVax Inc. does not assume liability for any loss of product, time or any direct, indirect, or consequential damage, losses or delay or any nature whatsoever. No warranty, express or implied, is made or authorized to be made and no obligation is assumed or authorized to be assumed with respect to products of GapVax Inc. other than that set forth in the current, published warranty. It is to be understood that the acceptance this order is expressly conditioned upon your acceptance of GapVax Inc. standard written warranty for the products sold hereunder. GapVax Inc. hereby disclaims any responsibility or liability for any consequential losses delays or downtime resulting from orders hereunder the use of its products. GapVax does not and will not warranty any tank coating or tank lining. PTO damage is not covered when the PTO protection system or low water shut down system is not selected / installed / and operational. GapVax does not and will not warranty any water system component(s) that show any sign or indication of ice or freeze damage.
14. This agreement shall be construed according to the laws of the State of Pennsylvania. Our failure at any time to exercise any right we may have under the agreement shall not constitute a waiver thereof nor prejudice our right to enforce same thereafter.
15. This order, including the above terms and conditions contains the complete and final agreement between the parties hereto and no other agreement in any way modifying any of said terms and conditions will be binding on us unless in writing and agreed to by authorized representative of this company.